

**1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING**

**1.1 PRODUCT IDENTIFIER**

Product name: Toner Cartridge For Brother TN820  
 Part number: BRTTN820

**1.2 IDENTIFIED USES AND USES ADVISED AGAINST**

For use in: This mixture is a toner used in copiers/printers.

**1.3 SUPPLIER DETAILS**

Supplier: Clover Technologies Group  
 4200 Columbus Street.  
 Ottawa, IL 61350  
 United States  
 Phone number: 815-431-8100  
 Fax: 815-461-8583  
 Contact Hours: 08:00AM-05:00PM CST

**1.4 EMERGENCY TELEPHONE NUMBERS**

Supplier: N/A

\* This document provides safety-related information about toner contained in print cartridge for use in laser printer

**2. HAZARDS IDENTIFICATION**

**2.1 INFORMATION and CLASSIFICATION**

Overview: One of the ingredients of this product, Organic Pigment, contains rosin, fumarated (CAS No.: 65997-04-8, EC No.266-040-8). According to the information obtained from the supplier of the ingredient, the Organic Pigment itself did not demonstrate sensitising effect in the Maximization test using male Hartley guinea pig. However, in compliance with Annex II to Regulation (EC) No. 1272/2008, the EUH code is described on the label since rosin, fumarated is classified as a sensitiser and present in a concentration equal to or greater than 0.1% in the product.

**2.2 LABEL ELEMENTS**

Applicable Pictograms:



Danger Indications: Supplemental Hazard Information (EU): EUH208 - "Contains Rosin fumarated. May produce an allergic reaction." May form explosible dust-air mixture if dispersed.

Risk Phrases: N/A

Safety Phrases: N/A

**2.3 OTHER HAZARDS**

PBT or vPvB: N/A

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

| Ingredients                | CAS number              | Weight % | OSHA PEL  | ACGIH TLV  | Other  |
|----------------------------|-------------------------|----------|---|--|--|
| Styrene-Acrylate Copolymer | Trade Secret            | 85 - 95  |   |  |  |
| Organic Pigment            | 8005-02-5<br>65997-04-8 | 3 - 8    |   |  |  |
| Polypropylene              | Trade Secret            | 1-5      |   |  |  |
| Carbon Black*              | 1333-86-4               | 0.1 - 5  | 3.5 mg/m3   | 3 mg/m3  |  |
| Amorphous Silica*          | 7631-86-9               | 0.1 - 1  | 20 mppcf  |  | *Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8) |
|                            |                         |          | TWA: 15mg/m3(Particulates Not Otherwise Regulated: Total dust), 5mg/m3(Particulates Not Otherwise Regulated: Respirable fraction) | TWA: 10mg/m3(Particles Not Otherwise Specified: Inhalable particles), 3 mg/m3(Particles Not Otherwise Specified: Respirable particles) |  |

The Full Text for all R-Phrases are Displayed in Section 16

**COMPOSITION COMMENTS**

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the toner powder contained in specially designed container inside of the print cartridge.

**4. FIRST-AID MEASURES**

**4.1 FIRST AID MEASURES**

**4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE**

- Inhalation: Move to fresh air. If the patient continues to feel unwell, get immediate medical attention.
- Eye contact: Flush eyes immediately with plenty of water for 15 minutes. If irritation persists, obtain medical advice.
- Skin contact: Wash with plenty of water and soap. If irritation persists, obtain medical advice.
- Ingestion: DO NOT induce vomiting. If symptoms persist, call a physician.

**4.1.2 ADDITIONAL FIRST AID INFORMATION**

- Additional first aid information: N/A
- Immediate Medical Attention Required: N/A

**4.2 SYMPTOMS AND EFFECTS**

- Acute Symptoms from Exposure: N/A
- Delayed Symptoms from Exposure: N/A

**4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED**

N/A

## 5. FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: CO<sub>2</sub>, dry chemical, water.

Extinguishing Media Not to be Used: Do not use a solid water stream as it may scatter and spread fire. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

### 5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards: HAZARDOUS COMBUSTION PRODUCTS: CO<sub>2</sub>, CO, Organic products of decomposition.

Extinguishing Media Not to be Used: N/A

### 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

PERSONAL PRECAUTIONS: Minimize the release of particulates. Wear personal protective equipment. Garments may be washed or dry cleaned after removal of loose toner.

#### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

#### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Spills should be swept up or wiped up after spraying with water to prevent generation of dusts. Residuals can be removed with soap and water. Otherwise, slowly sweep spilled powder on to a flat paper and transfer into a suitable container for disposal. If cleaning with a vacuum cleaner, dust explosion-proof type should be used.

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed, avoid creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

### 7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

### 7.3 SPECIFIC END USES

Printing devices

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

### 8.2 EXPOSURE CONTROLS

#### Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

#### Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### Additional Protection:

N/A

#### Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

#### Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

#### Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 DETAIL INFORMATION**

|                            |                                |
|----------------------------|--------------------------------|
| Physical state:            | APPEARANCE: Black fine powder. |
| Color:                     | Black                          |
| Odor:                      | Slight odor                    |
| Odor threshold:            | N/A                            |
| Boiling point:             | N/A                            |
| Melting point:             | N/A                            |
| Flash point:               | N/A                            |
| Explosion limits:          | N/A                            |
| Relative density:          | ca. 1.1 g/cm <sup>3</sup>      |
| Auto-ignition temperature: | N/A                            |

**9.2 OTHER INFORMATION**

Solubility In Water: Negligible. Explosive Properties: Can form explosive dust-air mixtures if finely dispersed in the air.

**10. CHEMICAL STABILITY AND REACTIVITY****10.1 Reactivity:**

**Reactivity Hazards:** None

**Data on Mixture Substances:** None

**10.2 Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.

**10.3 Hazardous Polymerization:** Stable under conditions of normal use.

**10.4 Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

**10.5 Incompatible Materials:** Strong oxidising materials

**10.6 Hazardous Decomposition:** Will not occur.

**11. INFORMATION ON TOXICOLOGICAL EFFECT**

|                                    |   |
|------------------------------------|---|
| <b>Mixtures:</b>                   | N/A   |
| <b>Acute Toxicity:</b>             | N/A   |
| <b>Skin Corrosion/Irritation:</b>  | N/A   |
| <b>Serious Eye Damage:</b>         | N/A   |
| <b>Inhalation:</b>                 | N/A   |
| <b>Sensitization:</b>              | N/A   |
| <b>Mutagenicity:</b>               | N/A   |
| <b>Carcinogenicity:</b>            | In 2010, the IARC reevaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen), as it had in 1996. This evaluation is given to carbon black for which there is inadequate evidence in humans, but sufficient evidence in experimental animals. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. A two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats. |
| <b>Reproductive Toxicity:</b>      | N/A   |
| <b>STOT - Single Exposure:</b>     | N/A   |
| <b>STOT - Multiple Exposure:</b>   | In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration (16 mg/m <sup>3</sup> ) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4 mg/m <sup>3</sup> ) exposure group. But no pulmonary changes were reported in the lowest (1 mg/m <sup>3</sup> ) exposure group, the most relevant level to potential human exposures.   |
| <b>Ingestion:</b>                  | N/A   |
| <b>Hazard Class Information:</b>   | N/A   |
| <b>Mixture on Market Data:</b>     | N/A   |
| <b>Symptoms:</b>                   | N/A   |
| <b>Delayed/Immediate Effects:</b>  | N/A   |
| <b>Test Data on Mixture:</b>       | N/A   |
| <b>Not Meeting Classification:</b> | N/A   |
| <b>Routes of Exposure:</b>         | N/A   |
| <b>Interactive Effects:</b>        | N/A   |
| <b>Absence of Specific Data:</b>   | N/A   |
| <b>Mixture vs Substance Data:</b>  | N/A   |

**12. ECOLOGICAL INFORMATION**

|  |   |
|--|---|
| 12.1 <b>Eco toxicity:</b>              | N/A   |
| 12.2 <b>Degradability:</b>             | N/A   |
| 12.3 <b>Bioaccumulation Potential:</b> | N/A   |
| 12.4 <b>Mobility in Soil:</b>          | N/A   |
| 12.5 <b>PBT &amp; vPvB Assessment:</b> | No components of the product fulfill the criteria for PBT or vPvB under Regulation (EC) No 1907/2006. |
| 12.6 <b>Other Adverse Effects:</b>     | N/A   |

**13. DISPOSAL CONSIDERATIONS****Disposal Information:**

Dispose as a solid waste in accordance with local authority regulations.  
Empty container retains product residue.

**Physical/Chemical Properties that affect Treatment:**

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

**Waste Treatment Information:**

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

**Personal Protection Required:**

N/A

**14. TRANSPORT INFORMATION**

- |                             |                                  |
|-----------------------------|----------------------------------|
| 14.1 ID Number:             | N/A                              |
| 14.2 Shipping Name:         | N/A                              |
| 14.3 Hazard Class:          | N/A                              |
| 14.4 Packing Group:         | N/A                              |
| 14.5 Environmental Hazards: | This is not a hazardous product. |
| 14.6 User Precautions:      | N/A                              |
| 14.7 Bulk Transport:        | N/A                              |

**15. REGULATORY INFORMATION**

- |                              |  |
|------------------------------|--|
| 15.1 Regulatory Information: | TSCA: All chemical substances in this product comply with all applicable rules or orders under TSCA. |
|------------------------------|--|

**EPA Regulatory Information:** N/A

**CERCLA Reportable Quantity:** N/A

- |                             |
|-----------------------------|
| 15.2 Superfund Information: |
|-----------------------------|

**Hazard Categories:**

**Immediate:** N/A

**Delayed:** N/A

**Fire:** N/A

**Pressure:** N/A

**Reactivity:** N/A

**Section 302 - Extremely Hazardous:** N/A

**Section 311 - Hazardous:** N/A

- |                         |     |
|-------------------------|-----|
| 15.3 State Regulations: | N/A |
|-------------------------|-----|

- |                                    |     |
|------------------------------------|-----|
| 15.4 Other Regulatory Information: | N/A |
|------------------------------------|-----|



**16. OTHER INFORMATION**

**General Comments:** This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application

**Creation Date of this SDS:** 03/29/2018





# SAFETY DATA SHEET

**Key to Abbreviations and Acronyms used in this sheet:**

|  |   |
|--|---|
| ACGIH = American Conference of Governmental Industrial Hygienists            | NIOSH = National Institute for Occupational Safety and Health |
| CERCLA = Comprehensive Environmental Response Compensation and Liability Act | OSHA = Occupational Health and Safety Administration          |
| CLP = Classification, Labeling, and Packaging                                | PEL = Permissible Exposure Limit                              |
| DSD = Dangerous Substances Directive   | SCBA = Self Contained Breathing Apparatus                     |
| EPA = Environmental Protection Agency  | STOT = Specific Target Organ Toxicity                         |
| GHS = Globally Harmonized System   | TLV = Threshold Limit Value                                   |
| N/A = Not Applicable   | UK = United Kingdom   |
| NFPA = National Fire Protection Association                                  | UN = United Nations   |
|  |   |
|  |   |
|  |   |

**Ref:****DISCLAIMER**

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.